


Spec Sheet

# Tuesday



**BUREAU**



## The Tuesday

Hand constructed using natural recyclable materials, the Tuesday booth is the perfect pod for deep Zooms and even deeper work. The Tuesday offers compact and cost efficient soundproofing in two stylish grey hues, making it an ideal fit for both tight spaces and budgets.

# Tuesday

Private, practical, and purpose-build for solo focus.



## Technical Information

### Capacity

1-2 People

### Warranty

Two-year warranty

### Furniture

1x upholstered booth seat & HPL meeting table

### Acoustic

28db NIC ASTM E596

### Footprint

1115mm x 1180mm

### Ventilation

- Airflow: 35-85m<sup>3</sup>/hr
- 1x silent, built-in adjustable fan

### Lighting

- Light sources: 1x 6w LED (dimnable)
- Colour temperature: 4000K (adjustable)
- Colour Rendering Index (CRI): 95+
- Reading Lamp

### Dimensions

- Internal: W: 1000mm D: 1070mm H: 1960mm
- External: W: 1115mm D: 1180mm H: 2260mm
- Doorway: W: 1100mm
- Weight: 250kg

### Power and Data

- Internal: x1 GPO, x1 USB-C, and 1x USB-A (above desk)
- External: Power inlet, located on back left-hand side. Includes a standard 1.8 metre long cable
- Power consumption: 11W
- Operation: Motion sensor operated with manual controls

### Design

- Eco-friendly materials and packaging
- Mount monitors on the wall or table


### Certifications

- BS EN 1021-1/2: Tests for the ignitability of upholstered furniture components
- BS 5852: Assesses the fire performance of upholstered seating
- ISO 23351-1 & ASTM E596: Measures the pod's ability to reduce speech levels for privacy
- CE Marking: Indicates conformity with health, safety, and environmental protection standards for products sold within the European Economic Area
- FSC / PEFC Certification: Ensures wood materials are sourced from responsibly managed forests
- BIFMA Level 2: Sustainability standard for furniture, evaluating environmental, social, and health impacts

## Finishes


### Light Palette

Ashen



### Dark Palette

Storm



### Carpet


(anti-static)





## Drawings

\*Dimensions shown are for reference only and do not constitute a technical drawing. A minimum clearance of 40mm is required on all sides for installation and ventilation purposes, and 60mm clearance required on top for fan ventilation.

Internal:



External:





Tuesday



**BUREAU**

©2025 Bureau